

## ContainerPower Energy Solutions

# Base station power supply voltage



## Overview

---

What does a 42 volt power supply mean?

42V. It means that if the voltage drop is more than 6V, the ICT equipment will be protected. It can be seen that when the length more than 120m in the 4G system and the length more than 70m in the 5G system, the ICT equipment will be off because the low voltage protection of the power supply system.

What voltage does a DSL power system supply?

The DSL power system may supply both higher voltage analog line drivers and amplifiers (typ. +/-12V) and several low voltage supplies required by the digital ASIC (+5V, +3.3V, +1.8V, +1.5V).

What is a 3G base station converter?

In a 3G Base Station application, two converters are used to provide the +27V distribution bus voltage during normal conditions and power outages.

How much power does a PSU need?

This is when the PSU is no longer powering the PA, which is the main power draw, but still needs to power other electronics. The current target for low-load efficiency is about 30 W. Some OEMs would like to see that drop to nearly 10 W.

What is a -48V back-up battery converter?

The -48V back-up battery converter is similar in construction and complexity to the single-output, high-power VoIP converter previously discussed. The power factor corrected (PFC) AC/DC produces the supply voltage for the 3G Base station's RF Power amplifier (typ. +27V) and the bus voltage for point-of-load converters.

Which power supply is best for a BBU & RRU?

A power supply with a capacity of 100 W to 350 W was sufficient to cover many applications. Forward converters were a good choice and have been employed for years in telecom BBUs and RRUs. With the growing demand for mobile data, new markets and applications continue to emerge.

## Base station power supply voltage

---

## Contact Us

---

For catalog requests, pricing, or partnerships, please visit:  
<https://www.websparafotografos.es>